

	1580CRED – Barometer met dubbele doos (roestvrij staal, chroom) <table border="1"> <tr> <td>Meetbereiken :</td><td>950...1075 hPa / 715...805 mmHg</td></tr> <tr> <td>Nauwkeurigheid :</td><td>± 2 hPa / 1,5 mmHg</td></tr> <tr> <td>Graduaties :</td><td>1 hPa / 1 mmHg</td></tr> <tr> <td>Diameters :</td><td>Schaal 150 mm – Flens 180 mm</td></tr> <tr> <td>Gewicht :</td><td>1230 g</td></tr> </table>	Meetbereiken :	950...1075 hPa / 715...805 mmHg	Nauwkeurigheid :	± 2 hPa / 1,5 mmHg	Graduaties :	1 hPa / 1 mmHg	Diameters :	Schaal 150 mm – Flens 180 mm	Gewicht :	1230 g
Meetbereiken :	950...1075 hPa / 715...805 mmHg										
Nauwkeurigheid :	± 2 hPa / 1,5 mmHg										
Graduaties :	1 hPa / 1 mmHg										
Diameters :	Schaal 150 mm – Flens 180 mm										
Gewicht :	1230 g										
	1613MS – Barometer (gepolijst messing) <table border="1"> <tr> <td>Meetbereiken :</td><td>955...1070 hPa / 715...805 mmHg</td></tr> <tr> <td>Nauwkeurigheid :</td><td>± 2 hPa / 1,5 mmHg</td></tr> <tr> <td>Graduaties :</td><td>1 hPa / 1 mmHg</td></tr> <tr> <td>Diameters :</td><td>Schaal 150 mm – Flens 220 mm</td></tr> <tr> <td>Gewicht :</td><td>1010 g</td></tr> </table>	Meetbereiken :	955...1070 hPa / 715...805 mmHg	Nauwkeurigheid :	± 2 hPa / 1,5 mmHg	Graduaties :	1 hPa / 1 mmHg	Diameters :	Schaal 150 mm – Flens 220 mm	Gewicht :	1010 g
Meetbereiken :	955...1070 hPa / 715...805 mmHg										
Nauwkeurigheid :	± 2 hPa / 1,5 mmHg										
Graduaties :	1 hPa / 1 mmHg										
Diameters :	Schaal 150 mm – Flens 220 mm										
Gewicht :	1010 g										
	1613CR – Barometer (gepolijst chroom) <table border="1"> <tr> <td>Meetbereiken :</td><td>955...1070 hPa / 715...805 mmHg</td></tr> <tr> <td>Nauwkeurigheid :</td><td>± 2 hPa / 1,5 mmHg</td></tr> <tr> <td>Graduaties :</td><td>1 hPa / 1 mmHg</td></tr> <tr> <td>Diameters :</td><td>Schaal 150 mm – Flens 220 mm</td></tr> <tr> <td>Gewicht :</td><td>1010 g</td></tr> </table>	Meetbereiken :	955...1070 hPa / 715...805 mmHg	Nauwkeurigheid :	± 2 hPa / 1,5 mmHg	Graduaties :	1 hPa / 1 mmHg	Diameters :	Schaal 150 mm – Flens 220 mm	Gewicht :	1010 g
Meetbereiken :	955...1070 hPa / 715...805 mmHg										
Nauwkeurigheid :	± 2 hPa / 1,5 mmHg										
Graduaties :	1 hPa / 1 mmHg										
Diameters :	Schaal 150 mm – Flens 220 mm										
Gewicht :	1010 g										
	585MS – Barometer (gepolijst messing) <table border="1"> <tr> <td>Meetbereiken :</td><td>955...1070 hPa / 715...805 mmHg</td></tr> <tr> <td>Nauwkeurigheid :</td><td>± 2 hPa / 1,5 mmHg</td></tr> <tr> <td>Graduaties :</td><td>1 hPa / 1 mmHg</td></tr> <tr> <td>Diameters :</td><td>Schaal 150 mm – Flens 180 mm</td></tr> <tr> <td>Gewicht :</td><td>1030 g</td></tr> </table>	Meetbereiken :	955...1070 hPa / 715...805 mmHg	Nauwkeurigheid :	± 2 hPa / 1,5 mmHg	Graduaties :	1 hPa / 1 mmHg	Diameters :	Schaal 150 mm – Flens 180 mm	Gewicht :	1030 g
Meetbereiken :	955...1070 hPa / 715...805 mmHg										
Nauwkeurigheid :	± 2 hPa / 1,5 mmHg										
Graduaties :	1 hPa / 1 mmHg										
Diameters :	Schaal 150 mm – Flens 180 mm										
Gewicht :	1030 g										
	101.5 – Barometer & thermo-hygrometer (messing vernikkeld, zwarte schaal) <table border="1"> <tr> <td>Meetbereiken:</td><td>975...1055 hPa / -10...+40°C / 0...100%</td></tr> <tr> <td>Nauwkeurigheden :</td><td>± 2 hPa / ± 1°C / ± 5 %</td></tr> <tr> <td>Graduaties :</td><td>1 hPa / 1°C / 1 %</td></tr> <tr> <td>Diameters :</td><td>Schaal 100 mm – Behuizing 104 mm</td></tr> <tr> <td>Gewicht :</td><td>300 g</td></tr> </table>	Meetbereiken:	975...1055 hPa / -10...+40°C / 0...100%	Nauwkeurigheden :	± 2 hPa / ± 1°C / ± 5 %	Graduaties :	1 hPa / 1°C / 1 %	Diameters :	Schaal 100 mm – Behuizing 104 mm	Gewicht :	300 g
Meetbereiken:	975...1055 hPa / -10...+40°C / 0...100%										
Nauwkeurigheden :	± 2 hPa / ± 1°C / ± 5 %										
Graduaties :	1 hPa / 1°C / 1 %										
Diameters :	Schaal 100 mm – Behuizing 104 mm										
Gewicht :	300 g										

**1105B – Barometer (zwart plastic, glazen venster)**

Meetbereik :	951...1069 hPa
Nauwkeurigheid :	± 3 hPa
Graduaties :	1 hPa
Afmetingen :	99 x 35 x 73 mm
Gewicht :	305 g

**101.1 – Barometer (vernikkeld messing)**

Meetbereik :	960...1070 hPa
Nauwkeurigheid :	± 2 hPa
Graduaties :	1 hPa
Diameters :	Schaal 100 mm – Behuizing 104 mm
Gewicht :	290 g

**350 – Barometer & thermo-hygrometer (roestvrij staal, witte schaal)**

Meetbereiken:	951...1079 hPa / -20...+30°C / 0...100%
Nauwkeurigheden :	± 2 hPa / $\pm 1^\circ\text{C}$ / $\pm 5\%$
Graduaties :	1 hPa / 1°C / 1 %
Diameters :	Schaal 160 mm – Behuizing 162 mm
Gewicht :	460 g

**332 – Barometer & thermo-hygrometer (roestvrij staal, witte schaal)**

Meetbereiken:	980...1050 hPa / -10...+40°C / 0...100%
Nauwkeurigheden :	± 2 hPa / $\pm 1^\circ\text{C}$ / $\pm 5\%$
Graduaties :	1 hPa / 1°C / 1 %
Diameters :	Schaal 130 mm – Behuizing 132 mm
Gewicht :	295 g

**351 – Barometer & thermo-hygrometer (roestvrij staal, wit/grijze schaal)**

Meetbereiken:	985...1045 hPa / -20...+50°C / 0...100%
Nauwkeurigheden :	± 2 hPa / $\pm 1^\circ\text{C}$ / $\pm 5\%$
Graduaties :	1 hPa / 1°C / 1 %
Diameters :	Schaal 160 mm – Behuizing 162 mm
Gewicht :	460 g

	1310 – Barometer met bevestiging ring (verchroomd messing) <table border="1"> <tr> <td>Meetbereiken :</td><td>930...1080 hPa / 700...810 mm</td></tr> <tr> <td>Nauwkeurigheid :</td><td>± 1 hPa / 0,75 mm</td></tr> <tr> <td>Graduaties :</td><td>1 hPa / 1 mm</td></tr> <tr> <td>Diameters :</td><td>Schaal 130 mm – Behuizing 132 mm</td></tr> <tr> <td>Gewicht :</td><td>450 g</td></tr> </table>	Meetbereiken :	930...1080 hPa / 700...810 mm	Nauwkeurigheid :	± 1 hPa / 0,75 mm	Graduaties :	1 hPa / 1 mm	Diameters :	Schaal 130 mm – Behuizing 132 mm	Gewicht :	450 g
Meetbereiken :	930...1080 hPa / 700...810 mm										
Nauwkeurigheid :	± 1 hPa / 0,75 mm										
Graduaties :	1 hPa / 1 mm										
Diameters :	Schaal 130 mm – Behuizing 132 mm										
Gewicht :	450 g										
	1500MS – Barometer met dubbele doos (gepolijst messing) <table border="1"> <tr> <td>Meetbereiken :</td><td>949...1078 hPa / 712...808 mmHg</td></tr> <tr> <td>Nauwkeurigheid :</td><td>± 1 hPa / 0,75 mm</td></tr> <tr> <td>Graduaties :</td><td>1 hPa / 1 mm</td></tr> <tr> <td>Diameters :</td><td>Schaal 130 mm – Flens 180 mm</td></tr> <tr> <td>Gewicht :</td><td>1.200 g</td></tr> </table>	Meetbereiken :	949...1078 hPa / 712...808 mmHg	Nauwkeurigheid :	± 1 hPa / 0,75 mm	Graduaties :	1 hPa / 1 mm	Diameters :	Schaal 130 mm – Flens 180 mm	Gewicht :	1.200 g
Meetbereiken :	949...1078 hPa / 712...808 mmHg										
Nauwkeurigheid :	± 1 hPa / 0,75 mm										
Graduaties :	1 hPa / 1 mm										
Diameters :	Schaal 130 mm – Flens 180 mm										
Gewicht :	1.200 g										
	350MEL – Barometer & thermo-hygrometer (roestvrij staal, witte schaal, marine montage systeem, 12 V achtergrond belichting) <table border="1"> <tr> <td>Meetbereiken:</td><td>951...1079 hPa / -20...+30°C / 0...100%</td></tr> <tr> <td>Nauwkeurigheden :</td><td>± 2 hPa / $\pm 1^\circ\text{C}$ / $\pm 5\%$</td></tr> <tr> <td>Graduaties :</td><td>1 hPa / 1°C / 1 %</td></tr> <tr> <td>Diameters :</td><td>Schaal 160 mm – Behuizing 162 mm</td></tr> <tr> <td>Gewicht :</td><td>700 g</td></tr> </table>	Meetbereiken:	951...1079 hPa / -20...+30°C / 0...100%	Nauwkeurigheden :	± 2 hPa / $\pm 1^\circ\text{C}$ / $\pm 5\%$	Graduaties :	1 hPa / 1°C / 1 %	Diameters :	Schaal 160 mm – Behuizing 162 mm	Gewicht :	700 g
Meetbereiken:	951...1079 hPa / -20...+30°C / 0...100%										
Nauwkeurigheden :	± 2 hPa / $\pm 1^\circ\text{C}$ / $\pm 5\%$										
Graduaties :	1 hPa / 1°C / 1 %										
Diameters :	Schaal 160 mm – Behuizing 162 mm										
Gewicht :	700 g										
	593CR – Barometer (gepolijst chroom) <table border="1"> <tr> <td>Meetbereiken :</td><td>960...1070 hPa / -10...+40°C / 0...100%</td></tr> <tr> <td>Nauwkeurigheden :</td><td>± 2 hPa / $\pm 1^\circ\text{C}$ / $\pm 5\%$</td></tr> <tr> <td>Graduaties :</td><td>1 hPa / 1°C / 5 %</td></tr> <tr> <td>Diameters :</td><td>Schaal 150 mm – Flens 180 mm</td></tr> <tr> <td>Gewicht :</td><td>1030 g</td></tr> </table>	Meetbereiken :	960...1070 hPa / -10...+40°C / 0...100%	Nauwkeurigheden :	± 2 hPa / $\pm 1^\circ\text{C}$ / $\pm 5\%$	Graduaties :	1 hPa / 1°C / 5 %	Diameters :	Schaal 150 mm – Flens 180 mm	Gewicht :	1030 g
Meetbereiken :	960...1070 hPa / -10...+40°C / 0...100%										
Nauwkeurigheden :	± 2 hPa / $\pm 1^\circ\text{C}$ / $\pm 5\%$										
Graduaties :	1 hPa / 1°C / 5 %										
Diameters :	Schaal 150 mm – Flens 180 mm										
Gewicht :	1030 g										
	111CR – Schip barometer (gepolijst chroom) <table border="1"> <tr> <td>Meetbereiken :</td><td>954...1073 hPa / 715...805 mmHg</td></tr> <tr> <td>Nauwkeurigheid :</td><td>± 2 hPa / 1,5 mm</td></tr> <tr> <td>Graduaties :</td><td>1 hPa / 1 mm</td></tr> <tr> <td>Diameters :</td><td>Schaal 130 mm – Flens 155 mm</td></tr> <tr> <td>Gewicht :</td><td>450 g</td></tr> </table>	Meetbereiken :	954...1073 hPa / 715...805 mmHg	Nauwkeurigheid :	± 2 hPa / 1,5 mm	Graduaties :	1 hPa / 1 mm	Diameters :	Schaal 130 mm – Flens 155 mm	Gewicht :	450 g
Meetbereiken :	954...1073 hPa / 715...805 mmHg										
Nauwkeurigheid :	± 2 hPa / 1,5 mm										
Graduaties :	1 hPa / 1 mm										
Diameters :	Schaal 130 mm – Flens 155 mm										
Gewicht :	450 g										